Contents of Volume 159, No. 1

FULL PAPERS

PAGE

Proteins

Stereospecific haem cleavage. A model for the formation of bile-pigment isomers *in vivo* and *in vitro*.
By S. B. Brown 23

Isolation and characterization of an active three-chain molecular species of bovine thrombin.
By J. R. Giglio, A. Rossi, F. A. Leone, G. Chiericato & J. C. Say 29

Isolation, characterization and oxygen equilibrium of an extracellular haemoglobin from *Eunice aphroditois* (Pallas).
By J. V. Bannister, W. H. Bannister, A. Anastasi & E. J. Wood 35

Mouse haemoglobin beta chains. Comparative sequence data on adult major and minor beta chains from two species, *Mus musculus* and *Mus cervicolor*.
By J. G. Gilman 43

Amino acid sequence of a four-iron–four-sulphur ferredoxin isolated from *Bacillus stearothermophilus*.
By T. Hase, N. Ohmiya, H. Matsubara, R. N. Mullinger, K. K. Rao & D. O. Hall 55

Carboxymethylation of methionine residues in bovine pituitary luteinizing hormone and its subunits. Effects on the binding activity with receptor sites and interactions between subunits.
By K.-W. Cheng 71

Carboxymethylation of methionine residues in bovine pituitary luteinizing hormone and its subunits. Location of specifically modified methionine residues.
By K.-W. Cheng 79

Delineation of the third antigenic site of lysozyme by application of a novel 'surface-simulation' synthetic approach di› ›ctly linking the conformationally adjacent residues forming the site.
By C.-L. Lee & M. Z. Atassi 89

PAGE

Isolation and characterization of α-1-antitrypsin from rhesus-monkey serum.
By R. W. Berninger & R. K. Mathis 95

Loss of homologous group of proteins in a dominantly inherited ectodermal malformation.
By H. S. Tenenhouse & R. J. M. Gold 149

Appendix: A method for calculating the relative protein contents of the major keratin components from their amino acid composition.
By R. J. M. Gold, H. S. Tenenhouse & L. S. Adler 157

Nucleic Acids

Application of a spectrophotometric method to the determination of the composition of oligonucleotides obtained from cysteine transfer ribonucleic acid.
By N. J. Holness & G. Atfield 15

Carbohydrates

A method for the determination of hyaluronate in the presence of other glycosaminoglycans and its application to human intervertebral disc.
By T. E. Hardingham & P. Adams 143

Small Molecules

Concentration of $MgATP^{2-}$ and other ions in solution. Calculation of the true concentrations of species present in mixtures of associating ions.
By A. C. Storer & A. Cornish-Bowden 1

Enzymology

Kinetics of rat liver glucokinase. Co-operative interactions with glucose at physiologically significant concentrations.
By A. C. Storer & A. Cornish-Bowden 7

Studies on ligand binding to bovine liver uridine diphosphate glucose pyrophosphorylase.
By R. A. J. Stevens & C. F. Phelps 65

PAGE

Subsite mapping of enzymes. Depolymerase computer modelling.
By J. D. Allen & J. A. Thoma 105

Subsite mapping of enzymes. Application of the depolymerase computer model to two α-amylases.
By J. D. Allen & J. A. Thoma 121

PAGE

Purification and properties of arylsulphatase A from rabbit testis.
By C.-H. Yang & P. N. Srivastava 133

General Methods

Removal of a bound ligand from a macromolecule by gel filtration.
By H. B. F. Dixon 161

RAPID PAPERS

PAGE

Proteins

Unmasking of histone amino groups in chromatin at high pH.
By B. L. Malchy & H. Kaplan 173

Alternative products in the reaction of 2-nitro-5-thiocyanatobenzoic acid with thiol groups.
By N. C. Price 177

Molecular weight and subunit size of fatty acid synthetase from rabbit mammary gland.
By N. Paskin & R. J. Mayer 181

Chicken muscle and fibroblast actin structure.
By P. J. Anderson 185

Small Molecules

The proton and metal complexes of adenyl-5′-yl imidodiphosphate.
By L. D. Pettit & K. F. Siddiqui 169

PAGE

Enzymology

The pre-eminence of $k_{cat.}$ in the manifestation of optimal enzymic activity delineated by using the Briggs–Haldane two-step irreversible kinetic model.
By K. Brocklehurst & A. Cornish-Bowden 165

Algebraic methods for deriving steady-state rate equations. Practical difficulties with mechanisms that contain repeated rate constants.
By A. Cornish-Bowden 167

'Particulate' hexokinase activity in rat intestine. The comparative contributions of mitochondria and brush-border membranes.
By R. J. May & D. M. McCarthy 189

Contents of Volume 159, No. 2

FULL PAPERS

PAGE

Proteins

Amino acid sequence of cytochrome *c* from *Tetrahymena pyriformis* Phenoset A.
By G. E. Tarr & W. M. Fitch 193

Circular-dichroism and electron-microscopy studies of human subcomponent C1q before and after limited proteolysis by pepsin.
By B. Brodsky-Doyle, K. R. Leonard & K. B. M. Reid 279

^{125}I-labelling of erythropoietin without loss of biological activity.
By M. J. Murphy, Jr. 287

PAGE

Location of nucleotide pyrophosphatase and alkaline phosphodiesterase activities on the lymphocyte surface membrane.
By E. R. Abney, W. H. Evans & R. M. E. Parkhouse 293

The accessibility of protein-bound dinitrophenyl groups to univalent fragments of anti-dinitrophenyl antibody.
By C. G. Knight & N. M. Green 323

The kinetics and mechanism of the recombination reaction between apomyoglobin and haemin.
By P. A. Adams 371

43AA 013 C 2134
QUALITY CONTROL MARK

PAGE

Proteins of the kidney microvillus membrane. Identification of subunits after sodium dodecyl sulphate/polyacrylamide-gel electrophoresis.
By A. G. Booth & A. J. Kenny 395

Purification and characterization of the catalytic subunit of adenosine 3′:5′-cyclic monophosphate-dependent protein kinase from bovine liver.
By P. H. Sugden, L. A. Holladay, E. M. Reimann & J. D. Corbin 409

Adenosine 3′:5′-cyclic monophosphate-binding proteins in bovine and rat tissues.
By P. H. Sugden & J. D. Corbin 423

Nucleic Acids

Isolation and characterization of two sequence-specific endonucleases from *Anabaena variabilis*.
By K. Murray, S. G. Hughes, J. S. Brown & S. A. Bruce 317

Lipids

$\Delta^{8(14)}$-Steroids in the bacterium *Methylococcus capsulatus*.
By P. Bouvier, M. Rohmer, P. Benveniste & G. Ourisson 267

Carbohydrates

Location of the carbohydrate groups of ovomucoid.
By J. G. Beeley 335

Enzymology

Selective modification of rabbit muscle pyruvate kinase by 5-chloro-4-oxopentanoic acid.
By D. P. Bloxham & R. A. Chalkley 201

Identification of cysteine as the reactive group in pyruvate kinase alkylated by 5-chloro-4-oxopentanoic acid.
By R. A. Chalkley & D. P. Bloxham 213

Preparation of fully active ficin from *Ficus glabrata* by covalent chromatography and characterization of its active centre by using 2,2′-dipyridyl disulphide as a reactivity probe.
By J. P. G. Malthouse & K. Brocklehurst 221

4-Chloro-7-nitrobenzo-2-oxa-1,3-diazole as a reactivity probe for the investigation of the thiol proteinases. Evidence that ficin and bromelain may lack carboxyl groups conformationally equivalent to that of aspartic acid-158 of papain.
By M. Shipton, T. Stuchbury & K. Brocklehurst 235

PAGE

A convenient method of preparation of high-activity urease from *Canavalia ensiformis* by covalent chromatography and an investigation of its thiol groups with 2,2′-dipyridyl disulphide as a thiol titrant and reactivity probe.
By R. Norris & K. Brocklehurst 245

The action of snake venom, phospholipase A and trypsin on purified myelin *in vitro*.
By N. L. Banik, K. Gohil & A. N. Davison 273

The magnesium-ion-dependent adenosine triphosphatase of bovine cardiac myosin and its subfragment-1.
By R. S. Taylor & A. G. Weeds 301

A method for determining the adenosine triphosphatase content of energy-transducing membranes. Reaction of 4-chloro-7-nitrobenzofurazan with the adenosine triphosphatase of bovine heart submitochondrial particles.
By S. J. Ferguson, W. J. Lloyd & G. K. Radda 347

Absorption of antisera for studies on specific enzyme turnover.
By J. H. Walker, S. A. Betts, R. Manning & R. J. Mayer 355

Solubilization and other studies on adenylate cyclase of baker's yeast.
By K. Varimo & J. Londesborough 363

Thiol–protein disulphide oxidoreductases. Assay of microsomal membrane-bound glutathione–insulin transhydrogenase and comparison with protein disulphide-isomerase.
By A. L. Ibbetson & R. B. Freedman 377

Thiol–protein disulphide oxidoreductases. Differences between protein disulphide-isomerase and glutathione–insulin transhydrogenase activities in ox liver.
By H. C. Hawkins & R. B. Freedman 385

General Methods

The construction and analysis of sucrose gradients for use with zonal rotors.
By W. Hirst & R. A. Cox 259

RAPID PAPERS

PAGE

Enzymology

Interaction of pigeon liver nicotinamide–adenine dinucleotide kinase with Cibacron Blue F3GA.
By D. K. Apps & C. D. Gleed 441

Arylsulphatase and glycosulphatase of *Charonia lampas*. Substrate specificity towards sugar sulphate derivatives.
By H. Hatanaka, Y. Ogawa & F. Egami 445

Contents of Volume 159, No. 3

FULL PAPERS

PAGE

Proteins

The transport of vitamin D in the serum of primates.
By R. Bouillon, H. Van Baelen & P. De Moor 463

The preparation of protected fragments of lysozyme for semisynthesis.
By A. R. Rees & R. E. Offord 467

Appendix: Diazoalkanes in peptide semisynthesis.
By R. E. Offord, H. T. Storey, A. R. Rees, C. F. Hayward, W. H. Johnson, M. H. Pheasey & D. A. Wightman 480

The semisynthesis of portions of hen's-egg lysozyme by fragment condensation.
By A. R. Rees & R. E. Offord 487

Inactivation of human thrombin in the presence of human α_1-proteinase inhibitor.
By N. R. Matheson & J. Travis 495

Determination of the number and relative position of tryptophan residues in various albumins.
By R. C. Feldhoff & T. Peters, Jr. 529

Purification and chemical characterization of human hexosaminidases A and B.
By J. E. S. Lee & A. Yoshida 535

The subunits of human hexosaminidase A.
By E. Beutler, A. Yoshida, W. Kuhl & J. E. S. Lee 541

Kinetic studies on [methionine sulphoxide]-cytochrome *c*.
By T. Brittain & C. Greenwood 621

The amino acid sequence of rabbit cardiac troponin I.
By R. J. A. Grand, J. M. Wilkinson & L. E. Mole 633

The α macroglobulins of rat serum.
By A. H. Gordon 643

PAGE

Purification and properties of bovine pituitary follitropin.
By K.-W. Cheng 651

Rat α_2 acute-phase macroglobulin. Isolation and physicochemical properties.
By F. Gauthier & H. Mouray 661

A new method of quantitative affinity chromatography and its application to the study of myosin.
By R. C. Bottomley, A. C. Storer & I. P. Trayer 667

An electrophoretic study of the reversible binding of phosphate to ovalbumin.
By R. H. Drewe & D. J. Winzor 737

The instantaneous monitoring of polyacrylamide gels during electrophoresis.
By A. Elliott 743

A comparison of bone matrix and tendon with particular reference to glycoprotein content.
By G. M. Herring 749

The amino acid sequences of the cytochromes *c*-555 from two green sulphur bacteria of the genus *Chlorobium*.
By J. Van Beeumen, R. P. Ambler, T. E. Meyer, M. D. Kamen, J. M. Olson & E. K. Shaw 757

Appendix: Comparison of bacteriochlorophyll *a*–proteins from two green bacteria.
By J. M. Olson, E. K. Shaw & F. M. Englberger 769

The purification and characterization of rabbit placental lactogen.
By F. F. Bolander, Jr. & R. E. Fellows 775

Nucleic Acids

The aminoacylation of transfer ribonucleic acid. Inhibitory effects of some amino acid analogues with altered side chains.
By J. M. Old & D. S. Jones 503

PAGE

The stability, polyadenylic acid content and ribonucleoprotein form of nuclear ribonucleic acid in artichoke.
By K. S. R. Chapman & J. Ingle 585

The effects of deoxyribonucleic acid secondary structure on tertiary structure.
By A. M. Campbell 615

A model for cytoplasm-governed gene regulation.
By A. V. Lichtenstein & V. S. Shapot 783

Lipids

Triacylglycerol biosynthesis in rat adipose-tissue homogenates.
By W. W. Christie, M. L. Hunter & R. G. Vernon 571

Carbohydrates

Stable thiobarbituric acid chromophore with dimethyl sulphoxide. Application to sialic acid assay in analytical de-*O*-acetylation.
By L. Skoza & S. Mohos 457

The role of the pseudo-disaccharide neamine as an intermediate in the biosynthesis of neomycin.
By C. J. Pearce, J. E. G. Barnett, C. Anthony, M. Akhtar & S. D. Gero 601

Enzymology

Simplifications of the derivations and forms of steady-state equations for non-equilibrium random substrate-modifier and allosteric enzyme mechanisms.
By E. P. Whitehead 449

The reactions of D-glyceraldehyde 3-phosphate with thiols and the holoenzyme of D-glyceraldehyde 3-phosphate dehydrogenase and of inorganic phosphate with the acyl-holoenzyme.
By J. McD. Armstrong & D. R. Trentham 513

The primary inhibitor of plasmin in human plasma.
By S. Müllertz & I. Clemmensen 545

Purification of an exo-β-D-glucanase from cell-free extracts of *Candida utilis*.
By V. Notario, T. G. Villa & J. R. Villanueva 555

A model for the kinetics of activation and catalysis of ribulose 1,5-bisphosphate carboxylase.
By W. A. Laing & J. T. Christeller 563

PAGE

Arginase from human full-term placenta.
By R. Porta, C. Esposito, A. Martin & G. Della Pietra 579

Identity of isoenzyme 1 of histidine–pyruvate aminotransferase with serine–pyruvate aminotransferase.
By T. Noguchi, E. Okuno & R. Kido 607

Modification of glyceraldehyde 3-phosphate dehydrogenase activity by adsorption on phospholipid vesicles.
By M. S. Wooster & J. M. Wrigglesworth 627

Evidence of two lipoic acid residues per lipoate acetyltransferase chain in the pyruvate dehydrogenase multienzyme complex of *Escherichia coli*.
By M. J. Danson & R. N. Perham 677

Characterization of the glucose 6-phosphate dehydrogenase activity in rat liver mitochondria.
By M. Grunwald & H. Z. Hill 683

Human liver glycogen phosphorylase. Kinetic properties and assay in biopsy specimens.
By B. Lederer & W. Stalmans 689

Human liver alkaline phosphatase purified by affinity chromatography, ultracentrifugation and polyacrylamide-gel electrophoresis.
By A. L. Latner & A. W. Hodson 697

Purification and properties of an alginate lyase from a marine bacterium.
By I. W. Davidson, I. W. Sutherland & C. J. Lawson 707

Similarities between a dipeptide hydrolase from brush-border and cytosol fractions of guinea-pig intestinal mucosa.
By C. O. Piggott, G. O'Cuinn & P. F. Fottrell 715

The binding of nucleotides and bivalent cations to the calcium-and-magnesium ion-dependent adenosine triphosphatase from rabbit muscle sarcoplasmic reticulum.
By D. W. Yates & V. C. Duance 719

Uptake of iodinated human kidney α-D-mannosidase by rat liver. Association with membrane elements and stability *in vivo* and *in vitro*.
By D. V. Marinković, S. L. Petrović, J. V. Martinović and J. N. Marinković 729

RAPID PAPERS

PAGE

Proteins

Aldolase binding to actin-containing filaments. Formation of paracrystals.
By F. M. Clarke & D. J. Morton 797

Lipids

Chemical synthesis of all-*trans*-β-retinoyl phosphate.
By J. P. Frot-Coutaz & L. M. De Luca 799

Enzymology

Re-investigation of the effects of L-glutamine and L-asparagine on the *Neurospora crassa* NADP-specific glutamate dehydrogenase.
By J. C. Wootton, J. P. Kavanagh, A. J. Baron & M. G. Lovett 803

PAGE

Conversion of (±)-synephrine into *p*-hydroxyphenylacetaldehyde by *Arthrobacter synephrinum*. A novel enzymic reaction.
By M. Veeraswamy, N. Abitha Devi, R. Krishnan Kutty & P. V. Subba Rao 807

Low-temperature studies on mixed-valence cytochrome oxidase by using magnetic circular dichroism. Evidence for haem–haem interactions.
By T. Brittain, J. Springall, C. Greenwood & A. J. Thomson 811

Adenosine diphosphate binding to sodium-plus-potassium ion-dependent adenosine triphosphate. The role of lipid in the nucleotide–potassium ion interplay.
By J. Jensen & P. Ottolenghi 815

Metabolism of daunorubicin by a barbiturate-sensitive aldehyde reductase from rat liver.
By A. J. Turner & P. E. Hick 819

INDEXES

PAGE

Author Index 823

PAGE

Subject Index 827

TENTS

PAGE

807

811

815

819

PAGE
827